

List of publications and citations of Mónika Valiskó

- [1] M. Valiskó and D. Boda. Unraveling the behavior of the individual ionic activity coefficients on the basis of the balance of ion-ion and ion-water interactions. *J. Phys. Chem. B*, 119(4):1546–1557, 2015. IF: 3.377.

Cited by:

- [1.1] J.-L. Liu and B. Eisenberg. Poisson-Fermi Model of Single Ion Activities in Aqueous Solutions. *Chem. Phys. Lett.*, 637:1–6, 2015.
- [1.2] L. Vlcek and A. A. Chialvo. Single-Ion Hydration Thermodynamics from Clusters to Bulk Solutions: Recent Insights from Molecular Modeling. *Fluid Phase Equilib.*, 407:58–75, 2016.

- [2] M. Valiskó and D. Boda. The effect of concentration- and temperature-dependent dielectric constant on the activity coefficient of NaCl electrolyte solutions. *J. Chem. Phys.*, 140(23):234508, 2014. IF: 3.333.

Cited by:

- [2.1] I. Yu. Shilov and A. Lyashchenko. The Role of Concentration Dependent Static Permittivity of Electrolyte Solutions in the Debye-Hückel Theory. *J. Phys. Chem. B*, 119(31):10087–10095, 2015.
- [2.2] J. Vatamanu, M. Vatamanu, and D. Bedrov. Non-Faradic Energy Storage by Room Temperature Ionic Liquids in Nanoporous Electrodes. *ACS Nano*, 9(6):5999–6017, 2015.
- [2.3] Y. Yu, Z. Mohd Shafie, and H. Wu. Effect of Alkali and Alkaline Earth Metal Chlorides on Cellobiose Decomposition in Hot-Compressed Water. *Ind. Eng. Chem. Res.*, 54(20):5450–5459, 2015.
- [2.4] V. M. Sánchez and C. R. Miranda. Modeling Acid Oil Component Interactions with Carbonate Reservoirs: A First Principles View on Low Salinity Recovery Mechanisms. *J. Phys. Chem. C*, 118(33):19180–19187, 2014.

- [3] D. Boda, M. Valiskó, and I. Szalai. The origin of the interparticle potential of electrorheological fluids. *Cond. Matt. Phys.*, 16(4):43002, 2013. IF: 0.811.

- [4] M. Valiskó, D. Henderson, and D. Boda. Selective adsorption of ions in charged slit-systems. *Cond. Matt. Phys.*, 16(4):43601, 2013. IF: 0.811.

Cited by:

- [4.1] F. Vereda, A. Martin-Molina, R. Hidalgo-Alvarez, and M. Quesada-Perez. Specific ion effects on the electrokinetic properties of iron oxide nanoparticles: experiments and simulations. *Phys. Chem. Chem. Phys.*, 17(26):17069–17078, 2015.
- [4.2] F. Moucka, D. Bratko, and A. Luzar. Electrolyte pore/solution partitioning by expanded grand canonical ensemble Monte Carlo simulation. *J. Chem. Phys.*, 142(12):124705, 2015.

- [5] R. Kovács, M. Valiskó, and D. Boda. Monte Carlo simulation of the electrical properties of electrolytes adsorbed in charged slit-systems. *Cond. Matt. Phys.*, 15(2):23803, 2012. IF: 0.800.

Cited by:

- [5.1] F. Moucka, D. Bratko, and A. Luzar. Salt and water uptake in nanoconfinement under applied electric field: An open ensemble Monte Carlo study. *J. Phys. Chem. C*, 119(35):20416–20425, 2015.
- [5.2] F. Vereda, A. Martin-Molina, R. Hidalgo-Alvarez, and M. Quesada-Perez. Specific ion effects on the electrokinetic properties of iron oxide nanoparticles: experiments and simulations. *Phys. Chem. Chem. Phys.*, 17(26):17069–17078, 2015.
- [5.3] A. Härtel, M. Janssen, S. Samin, and R. van Roij. Fundamental measure theory for the electric double layer: implications for blue-energy harvesting and water desalination. *J. Phys.: Cond. Matt.*, 27(19):194129, 2015.
- [5.4] F. Moucka, D. Bratko, and A. Luzar. Electrolyte pore/solution partitioning by expanded grand canonical ensemble Monte Carlo simulation. *J. Chem. Phys.*, 142(12):124705, 2015.

- [5.5] O. Pizio and S. Sokołowski. Solvent primitive model of an electric double layer in slit-like pores: microscopic structure, adsorption and capacitance from a density functional approach. *Cond. Matt. Phys.*, 17(2), 2014.
- [6] T. Nagy, M. Valiskó, D. Henderson, and D. Boda. The Behavior of 2:1 and 3:1 Electrolytes at Polarizable Interfaces. *J. Chem. Eng. Data*, 56(4):1316–1322, 2011. IF: 1.693.

Cited by:

- [6.1] J. Klos and S. Lamperski. Monte Carlo study of molten salt with charge asymmetry near the electrode surface. *J. Chem. Phys.*, 140(5):054703, 2014.
- [6.2] Z.-Y. Wang and Y.-Q. Ma. Computational evidence of two driving mechanisms for overcharging in an electric double layer near the point of zero charge. *Phys. Rev. E*, 85:062501, 2012.
- [7] J. Vincze, M. Valiskó, and D. Boda. Response to “Comment on ‘The nonmonotonic concentration dependence of the mean activity coefficient of electrolytes is a result of a balance between solvation and ion-ion correlations’ [J. Chem. Phys. 134, 157101 (2011)]”. *J. Chem. Phys.*, 134(15):157102, 2011. IF: 3.333.
- [8] J. Vincze, M. Valiskó, and D. Boda. The nonmonotonic concentration dependence of the mean activity coefficient of electrolytes is a result of a balance between solvation and ion-ion correlations. *J. Chem. Phys.*, 133(15):154507, 2010. IF: 2.920.

Cited by:

- [8.1] I. Yu. Shilov and A. Lyashchenko. The Role of Concentration Dependent Static Permittivity of Electrolyte Solutions in the Debye-Hückel Theory. *J. Phys. Chem. B*, 119(31):10087–10095, 2015.
- [8.2] T.-C. Lin and B. Eisenberg. Multiple solutions of steady-state Poisson–Nernst–Planck equations with steric effects. *Nonlinearity*, 28(7):2053, 2015.
- [8.3] P. Magnico. Ion transport dependence on the ion pairing/solvation competition in cation-exchange membranes. *J. Membr. Sci.*, 483:112–127, 2015.
- [8.4] T.-C. Lin and B. Eisenberg. A new approach to the Lennard-Jones potential and a new model: PNP-steric equations. *Commun. Math. Sci.*, 12(1):149–173, 2014.
- [8.5] R. I. Slavchov. Quadrupole terms in the Maxwell equations: Debye-Hückel theory in quadrupolarizable solvent and self-salting-out of electrolytes. *J. Chem. Phys.*, 140(16):164510, 2014.
- [8.6] P. Magnico. Influence Of The Ion-Solvent Interactions On Ionic Transport Through Ion-Exchange-Membranes. *J. Membr. Sci.*, 442:272–285, 2013.
- [8.7] B. Eisenberg. Interacting Ions in Biophysics: Real is not Ideal. *Biophys. J.*, 104(9):1849–1866, 2013.
- [8.8] J. Hoffmann and D. Gillespie. Ion Correlations in Nanofluidic Channels: Effects of Ion Size, Valence, and Concentration on Voltage- and Pressure-Driven Currents. *Langmuir*, 29(4):1303–1317, 2013.
- [8.9] B. Eisenberg. Ionic Interactions are Everywhere. *Physiology*, 28(1):28–38, 2013.
- [8.10] T.-L. Horng, T.-C. Lin, C. Liu, and B. Eisenberg. PNP Equations with Steric Effects: A Model of Ion Flow through Channels. *J. Phys. Chem. B*, 116(37):11422–11441, 2012.
- [8.11] C. Berti, D. Gillespie, J. P. Bardhan, R. S. Eisenberg, and C. Fiegna. Comparison of three-dimensional Poisson solution methods for particle-based simulation and inhomogeneous dielectrics. *Phys. Rev. E*, 86:011912, 2012.
- [8.12] J. L. Aragonés, E. Sanz, and C. Vega. Solubility of NaCl in water by molecular simulation revisited. *J. Chem. Phys.*, 136(24):244508, 2012.
- [8.13] B. Eisenberg. Ionic Interactions in Biological and Physical Systems: a Variational Treatment. *Faraday Discuss.*, 160:279–296, 2013.
- [8.14] B. Eisenberg. Crowded charges in ion channels. In Rice, S. A. and Dinner, A. R., editor, *Advances in chemical physics*, Vol. 148, volume 148 of *Advances in Chemical Physics*, pages 77–223. 2012.
- [8.15] D. Jimenez-Morales, J. Liang, and B. Eisenberg. Ionizable Side Chains at Catalytic Active Sites of Enzymes. *Eur. Biophys. J.*, 41(5):449–460, 2012.
- [8.16] J. L. F. Vega and C. Abascal. Simulating water with rigid non-polarizable models: A general perspective. *Phys. Chem. Chem. Phys.*, 13(44):19663–19688, 2011.
- [8.17] E. Gutiérrez-Valladares, M. Luksic, B. Millán-Malo, B. Hribar-Lee, and V. Vlachy. Primitive model electrolytes. A comparison of the HNC approximation for the activity coefficient with Monte Carlo data. *Cond. Matt. Phys.*, 14(3):33003, 2011.

- [8.18] T. Kakiuchi. Salt bridge in electroanalytical chemistry: past, present, and future. *J. Solid State Electrochem.*, 15(7-8):1661–1671, 2011.
- [8.19] H. Sakaida and T. Kakiuchi. Determination of the Single-Ion Activities of H^+ and Cl^- in Aqueous Hydrochloric Acid Solutions Using an Ionic Liquid Salt Bridge. *J. Phys. Chem. B*, 115(45):13222–13226, 2011.
- [8.20] D. Gillespie, A. S. Khair, J. P. Bardhan, and S. Pennathur. Efficiently accounting for ion correlations in electrokinetic nanofluidic devices using density functional theory. *J. Coll. Interf. Sci.*, 359(2):520–529, 2011.
- [8.21] D. Fraenkel. Comment on “The nonmonotonic concentration dependence of the mean activity coefficient of electrolytes is a result of a balance between solvation and ion-ion correlations” [J. Chem. Phys. 133, 154507 (2010)]. *J. Chem. Phys.*, 134(15):157101, 2011.
- [8.22] I. A. Heisler, K. Mazur, and S. R. Meech. Low-Frequency Modes of Aqueous Alkali Halide Solutions: An Ultrafast Optical Kerr Effect Study. *J. Phys. Chem. B*, 115(8):1863–1873, 2011.
- [8.23] S. Lamperski and M. Pluciennik. Individual activity coefficients of a solvent primitive model electrolyte calculated from the inverse grand-canonical Monte Carlo simulation and MSA theory. *Mol. Phys.*, 109(1):49–54, 2011.
- [9] M. Malasics, D. Boda, M. Valiskó, D. Henderson, and D. Gillespie. Simulations of calcium channel block by trivalent ions: Gd^{3+} competes with permeant ions for the selectivity filter. *Biochim. et Biophys. Acta - Biomembranes*, 1798(11):2013–2021, 2010. IF: 4.647.

Cited by:

- [9.1] E. C. Gianulis and A. G. Pakhomov. Gadolinium modifies the cell membrane to inhibit permeabilization by nanosecond electric pulses. *Arch. Biochem. Biophys.*, 570:1–7, 2015.
- [9.2] Q. Tan, G. Chen, G. Zeng, A. Chen, S. Guan, Z. Li, Y. Zuo, Z. Huang, and Z. Guo. Physiological fluxes and antioxidative enzymes activities of immobilized *Phanerochaete chrysosporium* loaded with TiO_2 nanoparticles after exposure to toxic pollutants in solution. *Chemosphere*, 128:21–27, 2015.
- [9.3] D. Atlas. Voltage-gated calcium channels function as Ca^{2+} -activated signaling receptors. *Trends in Biochemical Sciences*, 39(2):45–52, 2014.
- [9.4] D. Atlas. The Voltage-Gated Calcium Channel Functions as the Molecular Switch of Synaptic Transmission. In RD Kornberg, editor, *Annual Review of Biochemistry, Vol 82*, volume 82 of *Annual Review of Biochemistry*, pages 607–635. 2013.
- [9.5] W. Briner. The Role of Metal Regulatory Proteins in Brain Oxidative Stress: A Tutorial. *Oxidative Medicine and Cellular Longevity*, 2012:981561, 2012.
- [9.6] T.-L. Horng, T.-C. Lin, C. Liu, and B. Eisenberg. PNP Equations with Steric Effects: A Model of Ion Flow through Channels. *J. Phys. Chem. B*, 116(37):11422–11441, 2012.
- [10] M. Valiskó, T. Varga, A. Baczoni, and D. Boda. The structure of strongly dipolar hard sphere fluids with extended dipoles by Monte Carlo simulations. *Mol. Phys.*, 108(1):87–96, 2010. IF: 1.743.

Cited by:

- [10.1] T. K. Bose and J. Saha. Ferroelectric domain formation in discotic liquid crystals: Monte Carlo study on the influence of boundary conditions. *Phys. Rev. E*, 92:042503, 2015.
- [10.2] T. K. Bose and J. Saha. Ferroelectric order in liquid crystal phases of polar disk-shaped ellipsoids. *Phys. Rev. E*, 89:052509, 2014.
- [10.3] E. Sanchez-Arellano, A. L. Benavides, and J. Alejandro. Surface tension and phase coexistence for fluids of molecules with extended dipoles. *J. Chem. Phys.*, 137(11):114708, 2012.
- [10.4] D. Gazzillo. Dipolar sticky hard spheres within the Percus-Yevick approximation plus orientational linearization. *J. Chem. Phys.*, 133(3):034511, 2010.
- [11] M. Valiskó and D. Boda. Correction to the Clausius-Mosotti equation: the dielectric constant of non-polar fluids from Monte Carlo simulations. *J. Chem. Phys.*, 131(16):064120, 2009. IF: 3.093.

Cited by:

- [11.1] K.G. K. Sarojini, S. V. Manoj, P. K. Singh, T. Pradeep, and S. K. Das. Electrical conductivity of ceramic and metallic nanofluids. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 417(20):39–46, 2013.
- [11.2] B. Eisenberg. Crowded charges in ion channels. In Rice, S. A. and Dinner, A. R., editor, *Advances in chemical physics, Vol. 148*, volume 148 of *Advances in Chemical Physics*, pages 77–223. 2012.

- [12] D. Boda, M. Valiskó, D. Henderson, B. Eisenberg, D. Gillespie, and W. Nonner. Ion selectivity in L-type calcium channels by electrostatics and hard-core repulsion. *J. Gen. Physiol.*, 133(5):497–509, 2009. IF: 4.260.

Cited by:

- [12.1] C. Lim and T. Dudev. *The Alkali Metal Ions: Their Role for Life*, chapter Potassium Versus Sodium Selectivity in Monovalent Ion Channel Selectivity Filters, pages 325–347. Springer International Publishing, Cham, 2016.
- [12.2] C. Boiteux, I. Vorobyov, and T. W. Allen. Ion conduction and conformational flexibility of a bacterial voltage-gated sodium channel. *Proc. Nat. Acad. Sci.*, 111(9):3454–3459, 2014.
- [12.3] T. M. Dudev and C. Lim. Importance of Metal Hydration on the Selectivity of Mg^{2+} vs. Ca^{2+} in Magnesium Ion Channels. *JACS*, 35(45):17200–17208, 2013.
- [12.4] T. Dudev and C. Lim. Competition among Metal Ions for Protein Binding Sites: Determinants of Metal Ion Selectivity in Proteins. *Chem. Rev.*, 114(1):538–556, 2014.
- [12.5] B. Corry. Na^+/Ca^{2+} selectivity in the bacterial voltage-gated sodium channel NavAb. *PeerJ*, 1:e16, 2013.
- [12.6] T. M. Dudev and C. Lim. Competition Among Ca^{2+} , Mg^{2+} , and Na^+ for Model Ion Channel Selectivity Filters: Determinants of Ion Selectivity. *J. Phys. Chem. B*, 116(35):10703–10714, 2012.
- [12.7] M. Burger. Inverse problems in ion channel modelling. *Inverse Problems*, 27(8):083001, 2011.
- [12.8] B. Lu and Y. C. Zhou. Poisson-Nernst-Planck Equations for Simulating Biomolecular Diffusion-Reaction Processes II: Size Effects on Ionic Distributions and Diffusion-Reaction Rates. *Biophys. J.*, 100(10):2475–2485, 2011.
- [12.9] H. Yu, S. Y. Noskov, and B. Roux. Two mechanisms of ion selectivity in protein binding sites. *PNAS*, 107(47):20329–20334, 2010.
- [12.10] K. V. Lopin, C. A. Obejero-Paz, and S. W. Jones. Evaluation of a Two-Site, Three-Barrier Model for Permeation in Ca(V)_{3.1} (alpha 1G) T-Type Calcium Channels: Ca^{2+} , Ba^{2+} , Mg^{2+} , and Na^+ . *J. Mem. Biol.*, 235(2):131–143, 2010.
- [12.11] B. Roux. Exploring the Ion Selectivity Properties of a Large Number of Simplified Binding Site Models. *Biophys. J.*, 98(12):2877–2885, 2010.
- [12.12] H. Yu and B. Roux. On the Utilization of Energy Minimization to the Study of Ion Selectivity. *Biophys. J.*, 97(8):L15–L17, 2009.

- [13] D. Boda, M Valiskó, D. Henderson, D. Gillespie, B. Eisenberg, and M. K. Gilson. Ions and inhibitors in the binding site of HIV Protease: Comparison of Monte Carlo simulations and the linearized Poisson-Boltzmann theory. *Biophys. J.*, 96(4):1293–1306, 2009. IF: 4.390.

Cited by:

- [13.1] J. P. Bardhan and M. G. Knepley. Communication: Modeling charge-sign asymmetric solvation free energies with nonlinear boundary conditions. *J. Chem. Phys.*, 141(13):131103, 2014.
- [13.2] Z. Xu and W. Cai. Fast Analytical Methods for Macroscopic Electrostatic Models in Biomolecular Simulations. *SIAM Review*, 53(4):683–720, 2011.
- [13.3] M. O. Fenley, M. Mascagni, J. McClain, A. R. J. Silalahi, and N. A. Simonov. Using Correlated Monte Carlo Sampling for Efficiently Solving the Linearized Poisson-Boltzmann Equation Over a Broad Range of Salt Concentration. *J. Chem. Theor. Comp.*, 6(1):300–314, 2010.

- [14] D. Di Caprio, M. Valiskó, M. Holovko, and D. Boda. Simple extension of a field theory approach for the description of the double layer accounting for excluded volume effects. *J. Phys. Chem. C*, 111(43):15700–15705, 2007. IF: -.

Cited by:

- [14.1] L. B. Bhuiyan, C. W. Outhwaite, and D. Henderson. A Monte Carlo Study of the Structure of a Planar Electric Double Layer Containing Asymmetric Electrolytes. *J. Chem. Eng. Data*, 56(12):4556–4563, 2011.
- [14.2] N. Boon and R. van Roij. 'Blue energy' from ion adsorption and electrode charging in sea and river water. *Mol. Phys.*, 109(7–10):1229–1241, 2011.

- [15] M. Valiskó, D. Boda, and D. Gillespie. Selective adsorption of ions with different diameter and valence at highly-charged interfaces. *J. Phys. Chem. C*, 111(43):15575–15585, 2007. IF: -.

Cited by:

- [15.1] G. Yang and L. Liu. A systematic comparison of different approaches of density functional theory for the study of electrical double layers. *J. Chem. Phys.*, 142(19):194110, 2015.
- [15.2] P. H. R. Alijó, Frederico W. Tavares, E. C. Biscaia Jr., and A. R. Secchi. Effects of electrostatic correlations on ion dynamics in alternating current voltages. *Electrochim. Acta*, 152:84–92, 2015.
- [15.3] T. Gamble, K. Decker, T. S Plett, M. Pevarnik, J.-F. Pietschmann, I. V. Vlasiouk, A. Aksimentiev, and Z. S. Siwy. Rectification of Ion Current in Nanopores Depends on the Type of Monovalent Cations – Experiments and Modeling. *J. Phys. Chem. C*, 118(18):9809–9819, 2014.
- [15.4] J. Klos and S. Lamperski. Monte Carlo study of molten salt with charge asymmetry near the electrode surface. *J. Chem. Phys.*, 140(5):054703, 2014.
- [15.5] B. Li, P. Liu, Z. Xu, and S. Zhou. Ionic size effects: generalized Boltzmann distributions, counterion stratification and modified Debye length. *Nonlinearity*, 26(10):2899–2922, 2013.
- [15.6] Z.-Y. Wang and Y.-Q. Ma. A molecular simulation study on the role of ion sizes and dielectric images in near-surface ion distribution far from the strong coupling limit. *J. Chem. Phys.*, 136(23):234701, 2012.
- [15.7] Y. Hyon, J. E. Fonseca, B. Eisenberg, and C. Liu. Energy variational approach to study charge inversion (layering) near charged walls. *DCDS-B*, 17(8):2725–2743, 2012.
- [15.8] L. B. Bhuiyan, D. Henderson, and S. Sokolowski. On the contact values of the density profiles in an electric double layer using density functional theory. *Condensed Matter Phys.*, 15(2):23801, 2012.
- [15.9] P. Magnico. Ion size effects on electric double layers and ionic transport through ion-exchange membrane systems. *J. Membr. Sci.*, 415–416:412–423, 2012.
- [15.10] J. Wen, S. Zhou, Z. Xu, and B. Li. Competitive adsorption and ordered packing of counterions near highly charged surfaces: From mean-field theory to Monte Carlo simulations. *Phys. Rev. E*, 85:041406, 2012.
- [15.11] B. Eisenberg. Crowded charges in ion channels. In Rice, S. A. and Dinner, A. R., editor, *Advances in chemical physics*, Vol. 148, volume 148 of *Advances in Chemical Physics*, pages 77–223. 2012.
- [15.12] L. B. Bhuiyan, C. W. Outhwaite, and D. Henderson. A Monte Carlo Study of the Structure of a Planar Electric Double Layer Containing Asymmetric Electrolytes. *J. Chem. Eng. Data*, 56(12):4556–4563, 2011.
- [15.13] I. Guerrero-García, E. González-Tovar, and M. O. de la Cruz. Entropic effects in the electric double layer of model colloids with size-asymmetric monovalent ions. *J. Chem. Phys.*, 135(5):054701, 2011.
- [15.14] Z. Gan and Z. Xu. Multiple-image treatment of induced charges in Monte Carlo simulations of electrolytes near a spherical dielectric interface. *Phys. Rev. E*, 84(1):016705, 2011.
- [15.15] J. G. Ibarra-Armenta, A. Martín-Molina, and M. Quesada-Perez. Influence of monovalent ion size on colloidal forces probed by Monte Carlo simulations. *Phys. Chem. Chem. Phys.*, 13(29):13349–13357, 2011.
- [15.16] A. Bulyha and C. Heitzinger. An algorithm for three-dimensional Monte-Carlo simulation of charge distribution at biofunctionalized surfaces. *Nanoscale*, 3(4):1608–1617, 2011.
- [15.17] A. Martín-Molina, J. G. Ibarra-Armenta, E. Gonzalez-Tovar, R. Hidalgo-Alvarez, and M. Quesada-Perez. Monte Carlo simulations of the electrical double layer forces in the presence of divalent electrolyte solutions: effect of the ion size. *Soft Matter*, 7(4):1441–1449, 2011.
- [15.18] B. Eisenberg, Y.-K. Hyon, and C. Liu. Energy variational analysis of ions in water and channels: Field theory for primitive models of complex ionic fluids. *J. Chem. Phys.*, 133(10):104104, 2010.
- [15.19] J. Carmona and B. Hoyos. An improved primitive model for hydrated ions near a metal surface: Monte Carlo simulations. *DYNA-Colombia*, 77(162, Part 2):339–348, 2010.
- [15.20] Z. y. Wang and Y. q. Ma. Insights from Monte Carlo simulations on charge inversion of planar electric double layers in mixtures of asymmetric electrolytes. *J. Chem. Phys.*, 133(6):064704, 2010.
- [15.21] J. Klos and S. Lamperski. Electrical Double Layer Properties in Diameter Asymmetric Molten Salt Investigated by Grand Canonical Monte Carlo Method. *J. Phys. Chem. B*, 114(31):13329–13333, 2010.
- [15.22] L. Boinovich. DLVO forces in thin liquid films beyond the conventional DLVO theory. *Curr. Opinion Coll. Interf. Sci.*, 15:297–302, 2010.
- [15.23] I. Guerrero-García, E. González-Tovar, M. Chávez-Páez, and M. Lozada-Cassou. Overcharging and charge reversal in the electrical double layer around the point of zero charge. *J. Chem. Phys.*, 132(5):054903, 2010.
- [15.24] A. Martín-Molina, R. Hidalgo-Álvarez, and M. Quesada-Pérez. Additional considerations about the role of ion size in charge reversal. *J. Phys.: Condens. Matter*, 21(42):424105, 2009.
- [15.25] G. I. Guerrero-García, E. González-Tovar, and M. Chávez-Páez. Simulational and theoretical study of the spherical electrical double layer for a size-asymmetric electrolyte: The case of big coions. *Phys. Rev. E*, 80(2):021501, 2009.
- [15.26] E. R. Cruz-Chu, T. Ritz, Z. S. Siwy, and K. Schulten. Molecular control of ionic conduction in polymer nanopores. *Faraday Discussions*, 143:47–62, 2009.

- [15.27] W. R. Fawcett. Monte Carlo studies of ion size effects in the diffuse double layer. *Electrochimica Acta*, 54(22):4997–5005, 2009.
- [15.28] L. B. Bhuiyan, Outhwaite, C. W., and D. J. Henderson. Evidence from Monte Carlo simulations for a second contact value theorem for a double layer formed by 2:1/1:2 salts at low electrode charges. *Mol. Phys.*, 107(4–6):343 – 347, 2009.
- [15.29] A. Martin-Molina, J. G. Ibarra-Armenta, and M. Quesada-Perez. Effect of Ion Dispersion Forces on the Electric Double Layer of Colloids: A Monte Carlo Simulation Study. *J. Phys. Chem. B*, 113(8):2414–2421, 2009.
- [15.30] D. di Caprio and M. Holovko. Spontaneous Polarization of the Neutral Interface for Valence Asymmetric Coulombic Systems. *J. Phys. Chem. B*, 113(7):2006–2012, 2009.
- [15.31] C.-H. Hou, P. Taboada-Serrano, S. Yiacoumi, and C. Tsouris. Electro sorption selectivity of ions from mixtures of electrolytes inside nanopores. *J. Chem. Phys.*, 129(22):224703, 2008.
- [15.32] S. Lamperski and C. W. Outhwaite. Monte-Carlo simulation of mixed electrolytes next to a plane charged surface. *J. Colloid Interf. Sci.*, 328(2):458–462, 2008.
- [15.33] W. R. Fawcett and T. G. Smagala. Examination of Ion Size Effects on the Potential Drop Across the Diffuse Layer using Monte Carlo Simulations. *Electrochim. Acta*, 53(16):5136–5141, 2008.
- [16] D. Boda, W. Nonner, M. Valiskó, D. Henderson, B. Eisenberg, and D. Gillespie. Steric selectivity in Na channels arising from protein polarization and mobile side chains. *Biophys. J*, 93(6):1960–1980, 2007. IF: 4.627.

Cited by:

- [16.1] C. Lim and T. Dudev. *The Alkali Metal Ions: Their Role for Life*, chapter Potassium Versus Sodium Selectivity in Monovalent Ion Channel Selectivity Filters, pages 325–347. Springer International Publishing, Cham, 2016.
- [16.2] D. Holcman and Z. Schuss. NET in Molecular and Cellular Biology. In *Stochastic Narrow Escape in Molecular and Cellular Biology*, pages 95–112. Springer New York, 2015.
- [16.3] D. Holcman and Z. Schuss. Elementary Theory of Stochastic Narrow Escape. In *Stochastic Narrow Escape in Molecular and Cellular Biology*, Biological and Medical Physics, Biomedical Engineering, pages 1–44. Springer New York, 2015.
- [16.4] T. Dudev and C. Lim. Ion Selectivity Strategies of Sodium Channel Selectivity Filters. *Acc. Chem. Res.*, 47(12):3580–3587, 2014.
- [16.5] S. Buyukdagli and R. Blossey. Dipolar correlations in structured solvents under nanoconfinement. *J. Chem. Phys.*, 140(23):234903, 2014.
- [16.6] T. Dudev and C. Lim. Evolution of eukaryotic ion channels: Principles underlying the conversion of Ca²⁺-selective to Na⁺-selective channels. *JACS*, 136(9):3553–3559, 2014.
- [16.7] Z. Schuss. Narrow Escape in \mathbf{R}^2 . In *Brownian Dynamics at Boundaries and Interfaces*, volume 186 of *Applied Mathematical Sciences*, pages 199–248. Springer New York, 2013.
- [16.8] D. Holcman and Z. Schuss. Control of flux by narrow passages and hidden targets in cellular biology. *Reports on Progress in Physics*, 76(7):074601, 2013.
- [16.9] J.-L. Liu. Numerical Methods for the Poisson-Fermi Equation in Electrolytes. *J. Comp. Phys.*, 247:88–99, 2013.
- [16.10] A. Kovalenko. Multiscale modeling of solvation in chemical and biological nanosystems and in nanoporous materials. *Pure Appl. Chem.*, 85(1):159–199, 2013.
- [16.11] J. P. Bardhan. Biomolecular electrostatics—I want your solvation (model). *Comput. Sci. Disc.*, 5(1):013001, 2012.
- [16.12] T. M. Dreaden Kasson, S. Rexroth, and B. A. Barry. Light-Induced Oxidative Stress, N-Formylkynurenine, and Oxygenic Photosynthesis. *PLoS ONE*, 7(7):e42220, 2012.
- [16.13] R. Garcia-Fandino and M. S. P. Sansom. Designing biomimetic pores based on carbon nanotubes. *PNAS*, 109(18):6939–6944, 2012.
- [16.14] J. P. Bardhan. Rapid Bounds on Electrostatic Energies Using Diagonal Approximations of Boundary-integral Equations. *PIERS Online*, 6(5):430–439, 2010.
- [16.15] T. Dudev and C. Lim. Why voltage-gated Ca²⁺ and bacterial Na⁺ channels with the same EEEE motif in their selectivity filters confer opposite metal selectivity. *Phys. Chem. Chem. Phys.*, 14(36):12451–12456, 2012.
- [16.16] S. Buyukdagli and T. Ala-Nissila. Excluded volume effects in macromolecular forces and ion-interface interactions. *J. Chem. Phys.*, 136(7):074901, 2012.
- [16.17] D. Xie and L. R. Scott. A new boundary integral equation for molecular electrostatics with charges over whole space. *BIT Num. Math.*, 51(4):1051–1071, 2011.

- [16.18] A. González, J. A. White, F. L. Román, and S. Velasco. Entropic selectivity of binary mixtures in cylindrical pores. *J. Chem. Phys.*, 135(15):154704, 2011.
- [16.19] A. Kovalenko and N. Blinov. Multiscale methods for nanochemistry and biophysics in solution. *J. Mol. Liq.*, 164(1–2):101–112, 2011.
- [16.20] M. Burger. Inverse problems in ion channel modelling. *Inverse Problems*, 27(8):083001, 2011.
- [16.21] S. Buyukdagli, C. V. Achim, and T. Ala-Nissila. Ion size effects upon ionic exclusion from dielectric interfaces and slit nanopores. *J. Stat. Mech.: Theor. Exp.*, 2011(5):P05033, 2011.
- [16.22] B. Lu and Y. C. Zhou. Poisson-Nernst-Planck Equations for Simulating Biomolecular Diffusion-Reaction Processes II: Size Effects on Ionic Distributions and Diffusion-Reaction Rates. *Biophys. J.*, 100(10):2475–2485, 2011.
- [16.23] Q. Zheng, D. Chen, and G.-W. Wei. Second-order Poisson-Nernst-Planck solver for ion transport. *J. Comp. Phys.*, 230(13):5239–5262, 2011.
- [16.24] V. Krishnamurthy and K. Y. Luk. Semi-Markov Models for Brownian Dynamics Permeation in Biological Ion Channels. *IEEE-ACM Trans. Comp.L Biol. Bioinf.*, 8(1):273–281, 2011.
- [16.25] A. Zilman and G. Bel. Crowding effects in non-equilibrium transport through nano-channels. *J. Phys.: Condens. Matt.*, 22(45):454130, 2010.
- [16.26] T. Dudev and C. Lim. Factors Governing the Na⁺ vs K⁺ Selectivity in Sodium Ion Channels. *JACS*, 132(7):2321–2332, 2010.
- [16.27] G. Schmeer and A. Maurer. Development of thermodynamic properties of electrolyte solutions with the help of RISM-calculations at the Born–Oppenheimer level. *Phys. Chem. Chem. Phys.*, 12(10):2407–2417, 2010.
- [16.28] P. Pongprayoon, O. Beckstein, C. Ling Wee, and M. S. P. Sansom. Simulations of anion transport through OprP reveal the molecular basis for high affinity and selectivity for phosphate. *Proceedings of the National Academy of Sciences of the United States of America*, 106(51):21614–21618, 2009.
- [16.29] J. Karppi, S. Akerman, K. Akerman, A. Sundell, and I. Penttila. Adsorption of metal cations from aqueous solutions onto the pH responsive poly(vinylidene fluoride grafted poly(acrylic acid) (PVDF-PAA) membrane. *J. Polymer Res.*, 17(1):71–76, 2010.
- [16.30] H. Yu and B. Roux. On the Utilization of Energy Minimization to the Study of Ion Selectivity. *Biophys. J.*, 97(8):L15–L17, 2009.
- [16.31] K. Tai, S. Haider, A. Grottesi, and M. S. P. Sansom. Ion channel gates: comparative analysis of energy barriers. *Eur. Biophys. J.*, 38(4):347–354, 2009.
- [16.32] E. Abad, J. Reingruber, and M. S. P. Sansom. On a novel rate theory for transport in narrow ion channels and its application to the study of flux optimization via geometric effects. *J. Chem. Phys.*, 130(8):085101, 2009.
- [16.33] A. Zilman. Effects of Multiple Occupancy and Interparticle Interactions on Selective Transport through Narrow Channels: Theory versus Experiment. *Biophys. J.*, 96(4):1235–1248, 2009.
- [16.34] N. Kocherginsky. Voltage-sensitive ion channels, acidic lipids and Hodgkin–Huxley equations: New ideas 55 years later. *Ann. J. Membrane Sci.*, 328(1-2):58–74, 2008.
- [16.35] M. Rauscher and S. Dietrich. Wetting phenomena in nanofluidics. *Ann. Rev. Mat. Res.*, 38(143–172), 2008.
- [16.36] G. M. Lipkind and H. A. Fozzard. Voltage-gated Na Channel Selectivity: The Role of the Conserved Domain III Lysine Residue. *J. Gen. Physiol.*, 131(6):523–529, 2008.
- [16.37] T. Vora, D. Bisset, and S.-H. Chung. Conduction of Na⁺ and K⁺ through the NaK Channel: Molecular and Brownian Dynamics Studies. *Biophys. J.*, 95(4):1600–1611, 2008.
- [16.38] Y. C. Zhou, B. Lu, G. A. Huber, M. J. Holst, and J. A. McCammon. Continuum Simulations of Acetylcholine Consumption by Acetylcholinesterase: A Poisson-Nernst-Planck Approach. *J. Phys. Chem. B*, 2007.
- [16.39] S. Furini, F. Zerbetto, and S. Cavalcanti. Role of the Intracellular Cavity in Potassium Channel Conductivity. *J. Phys. Chem. B*, 111(50):13993–14000, 2007.
- [16.40] D. Constantin and Z. S. Siwy. Poisson-Nernst-Planck model of ion current rectification through a nanofluidic diode. *Phys. Rev. E*, 76(4):041202, 2007.
- [17] D. Boda, M. Valiskó, B. Eisenberg, W. Nonner, D. Henderson, and D. Gillespie. Combined effect of pore radius and protein dielectric coefficient on the selectivity of a calcium channel. *Phys. Rev. Lett.*, 98(16):168102, 2007. IF: 6.944.

Cited by:

- [17.1] J. J. Finnerty, A. Peyser, and P. Carloni. Cation Selectivity in Biological Cation Channels Using Experimental Structural Information and Statistical Mechanical Simulation. *PLOS One*, 10(10):e0138679, 2015.

- [17.2] T. Dudev and C. Lim. Ion Selectivity Strategies of Sodium Channel Selectivity Filters. *Acc. Chem. Res.*, 47(12):3580–3587, 2014.
- [17.3] T. Dudev and C. Lim. Evolution of eukaryotic ion channels: Principles underlying the conversion of Ca^{2+} -selective to Na^{+} -selective channels. *JACS*, 136(9):3553–3559, 2014.
- [17.4] J.-F. Pietschmann, M.-T. Wolfram, M. Burger, C. Trautmann, G. Nguyen, M. Pevarnik, V. Bayer, and Z. Siwy. Rectification properties of conically shaped nanopores: consequences of miniaturization. *Phys. Chem. Chem. Phys.*, 15:16917–16926, 2013.
- [17.5] A. Stachiewicz and A. Molski. Nanopory : budowa, właściwości, modele, zastosowania. *Wiadomości Chemiczne, [Z]* 67, 3-4:277–302, 2013.
- [17.6] J.-L. Liu. Numerical Methods for the Poisson-Fermi Equation in Electrolytes. *J. Comp. Phys.*, 247:88–99, 2013.
- [17.7] A. Kovalenko. Multiscale modeling of solvation in chemical and biological nanosystems and in nanoporous materials. *Pure Appl. Chem.*, 85(1):159–199, 2013.
- [17.8] J. P. Bardhan. Biomolecular electrostatics—I want your solvation (model). *Comput. Sci. Disc.*, 5(1):013001, 2012.
- [17.9] C. Maffeo, S. Bhattacharya, J. Yoo, D. Wells, and A. Aksimentiev. Modeling and Simulation of Ion Channels. *Chem. Rev.*, 112(12):6250–6284, 2012.
- [17.10] T. M. Dudev and C. Lim. Competition Among Ca^{2+} , Mg^{2+} , and Na^{+} for Model Ion Channel Selectivity Filters: Determinants of Ion Selectivity. *J. Phys. Chem. B*, 116(35):10703–10714, 2012.
- [17.11] H. Miedema. *Biomimetic Membranes for Sensor and Separation Applications*, chapter Ion-Selective Biomimetic Membranes, pages 63–86. Biological and Medical Physics, Biomedical Engineering. Springer Netherlands, 2012.
- [17.12] A. Kovalenko and N. Blinov. Multiscale methods for nanochemistry and biophysics in solution. *J. Mol. Liq.*, 164(1–2):101–112, 2011.
- [17.13] Q. Zheng, D. Chen, and G.-W. Wei. Second-order Poisson-Nernst-Planck solver for ion transport. *J. Comp. Phys.*, 230(13):5239–5262, 2011.
- [17.14] A. Zilman and G. Bel. Crowding effects in non-equilibrium transport through nano-channels. *J. Phys.: Condens. Matt.*, 22(45):454130, 2010.
- [17.15] R. C. K. Cheng, D. B. Tikhonov, and B. S. Zhorov. Structural modeling of calcium binding in the selectivity filter of the L-type calcium channel. *Eur. Biophys. J. Biophys. Lett.*, 39(5):839–853, 2010.
- [17.16] W. Guo, H. Xia, F. Xia, X. Hou, L. Cao, L. Wang, J. Xue, G. Zhang, Y. Song, D. Zhu, Y. Wang, and L. Jiang. Current Rectification in Temperature-Responsive Single Nanopores. *Chem. Phys. Chem.*, 11(4):859–864, 2010.
- [17.17] A. Szymczyk, H. Zhu, and B. Balanec. Pressure-Driven Ionic Transport through Nanochannels with Inhomogeneous Charge Distributions. *Langmuir*, 26(2):1214–1220, 2010.
- [17.18] E. A. Romero, E. Valdivieso, and B. E. Cohen. Formation of Two Different Types of Ion Channels by Amphotericin B in Human Erythrocyte Membranes. *J. Membr. Biol.*, 230(2):69–81, 2009.
- [17.19] E. R. Cruz-Chu, T. Ritz, Z. S. Siwy, and K. Schulten. Molecular control of ionic conduction in polymer nanopores. *Faraday Discussions*, 143:47–62, 2009.
- [17.20] C. Labbez, B. Jönsson, M. Skarba, and M. Borkovec. Ion-Ion Correlation and Charge Reversal at Titrating Solid Interfaces. *Langmuir*, 25(13):7209–7213, 2009.
- [17.21] S. Ramachandran, A. W. R. Serohijos, L. Xu, G. Meissner, and N. V. Dokholyan. A Structural Model of the Pore-Forming Region of the Skeletal Muscle Ryanodine Receptor (RyR1). *PLoS Comput. Biol.*, 5(4):e1000367, 2009.
- [17.22] A. Martin-Molina, J. G. Ibarra-Armenta, and M. Quesada-Perez. Effect of Ion Dispersion Forces on the Electric Double Layer of Colloids: A Monte Carlo Simulation Study. *J. Phys. Chem. B*, 113(8):2414–2421, 2009.
- [17.23] C.-H. Hou, P. Taboada-Serrano, S. Yiacoumi, and C. Tsouris. Electro sorption selectivity of ions from mixtures of electrolytes inside nanopores. *J. Chem. Phys.*, 129(22):224703, 2008.
- [17.24] C.-H. Hou, P. Taboada-Serrano, S. Yiacoumi, and C. Tsouris. Monte Carlo simulation of electrical double-layer formation from mixtures of electrolytes inside nanopores. *J. Chem. Phys.*, 128(4):044705, 2008.
- [17.25] D. Constantin and Z. S. Siwy. Poisson-Nernst-Planck model of ion current rectification through a nanofluidic diode. *Phys. Rev. E*, 76(4):041202, 2007.
- [18] M. Valiskó, D. Henderson, and D. Boda. The capacitance of the electrical double layer of valence-asymmetric salts at low reduced temperatures. *J. Mol. Liquids*, 131–132:179–184, 2007. IF: 0.982.

Cited by:

- [18.1] P. Magnico. Ion transport dependence on the ion pairing/solvation competition in cation-exchange membranes. *J. Membr. Sci.*, 483:112–127, 2015.
 - [18.2] J. Klos and S. Lamperski. Monte Carlo study of molten salt with charge asymmetry near the electrode surface. *J. Chem. Phys.*, 140(5):054703, 2014.
 - [18.3] B. L. Bhuiyan and S. Lamperski. On the interfacial capacitance of an electrolyte at a metallic electrode around zero surface charge. *Mol. Phys.*, 111(6):807–815, 2013.
 - [18.4] D. Di Caprio, J. P. Badiali, and M. Holovko. Field theory for classical systems. Entropic effects. Application to non homogeneous electrolytes. *J. Phys. Studies*, 13(4):4002, 2009.
 - [18.5] J. Carmona and B. Hoyos. An improved primitive model for hydrated ions near a metal surface: Monte Carlo simulations. *DYNA-Colombia*, 77(162, Part 2):339–348, 2010.
 - [18.6] D. di Caprio and J. P. Badiali. Particle Indistinguishability Symmetry within a Field Theory. Entropic Effects. *Entropy*, 11(2):238–248, 2009.
 - [18.7] G. Beltramo, M. Giesen, and H. Ibach. Anomalous Helmholtz-capacitance on stepped surfaces of silver and gold. *Electrochim. Acta*, 54(18):4305–4311, 2009.
 - [18.8] D. di Caprio and M. Holovko. Spontaneous Polarization of the Neutral Interface for Valence Asymmetric Coulombic Systems. *J. Phys. Chem. B*, 113(7):2006–2012, 2009.
 - [18.9] M. Holovko, J.-P. Badiali, and D. di Caprio. Response to “Comment on ‘Contact conditions for the charge in the theory of the electrical double layer’ ” [J. Chem. Phys. 128, 117101 (2008)]. *J. Chem. Phys.*, 128:117102, 2008.
 - [18.10] D. di Caprio and J.-P. Badiali. A formally exact field theory for classical systems at equilibrium. *J. Phys. A: Math. Theor.*, 41:125401, 2008.
 - [18.11] C. W. Outhwaite and L. B. Bhuiyan. The modified Poisson-Boltzmann electric double layer capacitance for point ions at low temperatures. *J. Electroanal. Chem.*, 609(1):51–53, 2007.
 - [18.12] D. Di Caprio, J. P. Badiali, and J. Stafiej. Field theoretical description of the liquid state. Exact relations. The role of the ideal entropy revisited. *Mol. Phys.*, 104(22-24):3443–3450, 2006.
- [19] D. Di Caprio, M. Valiskó, M. Holovko, and D. Boda. Anomalous temperature dependence of the differential capacitance in valence asymmetric electrolytes. Comparison of Monte Carlo simulation results and the field theoretical approach. *Mol. Phys.*, 104(22-24):3777–3786, 2006. IF: 1.690.

Cited by:

- [19.1] C. Gomes, R. Costa, C. M. Pereira, and A. F. Silva. The electrical double layer at the ionic liquid/Au and Pt electrode interface. *RSC Adv.*, 4:28914–28921, 2014.
 - [19.2] D. Henderson, S. Lamperski, Z. Jin, and J. Wu. Density Functional Study of the Electric Double Layer Formed by a High Density Electrolyte. *J. Phys. Chem. B*, 115(44):12911–12914, 2011.
 - [19.3] L. B. Bhuiyan, C. W. Outhwaite, and D. Henderson. A Monte Carlo Study of the Structure of a Planar Electric Double Layer Containing Asymmetric Electrolytes. *J. Chem. Eng. Data*, 56(12):4556–4563, 2011.
 - [19.4] L. B. Bhuiyan, Outhwaite, C. W., and D. J. Henderson. Evidence from Monte Carlo simulations for a second contact value theorem for a double layer formed by 2:1/1:2 salts at low electrode charges. *Mol. Phys.*, 107(4–6):343 – 347, 2009.
 - [19.5] M. Alawneh, D. Henderson, , C. W. Outhwaite, and L. B. Bhuiyan. The effect of dielectric polarization of the electrode on anomalous temperature effects in the electrical double layer. *Mol. Sim.*, 34(5):501–507, 2008.
 - [19.6] M. Alawneh, D. Henderson, , C. W. Outhwaite, and L. B. Bhuiyan. The effect of dielectric polarization of the electrode on anomalous temperature effects in the electrical double layer. *Mol. Sim.*, 33(15):1279–1284, 2007.
 - [19.7] D. Henderson, M. Alawneh, R. Saavedra-Barrera, and M. Lozada-Cassou. Application of a recently proposed test to the hypernetted chain approximation for the electric double layer. *Cond. Matt. Phys.*, 10:323—329, 2007.
 - [19.8] C. W. Outhwaite and L. B. Bhuiyan. The modified Poisson-Boltzmann electric double layer capacitance for point ions at low temperatures. *J. Electroanal. Chem.*, 609(1):51–53, 2007.
- [20] A. Malasics, D. Boda, and M. Valiskó. Monte Carlo simulation and renormalized perturbation theory study of the dielectric properties of mixtures of polarizable hard spheres and polarizable dipolar hard spheres. *Mol. Phys.*, 104(22-24):3821–3830, 2006. IF: 1.690.

Cited by:

- [20.1] D. Levesque and J.-J. Weis. Size effect and stability of polarized fluid phases. *J. Chem. Phys.*, 140(9):094507, 2014.
- [20.2] J. C. R. Reis and T. P. Iglesias. Kirkwood correlation factors in liquid mixtures from an extended Onsager-Kirkwood-Frohlich equation. *Phys. Chem. Chem. Phys.*, 13:10670–10680, 2011.
- [21] D. Boda, M. Valiskó, B. Eisenberg, W. Nonner, D. Henderson, and D. Gillespie. The effect of protein dielectric coefficient on the ionic selectivity of a calcium channel. *J. Chem. Phys.*, 125(3):034901, 2006. IF: 3.166.

Cited by:

- [21.1] J. J. Finnerty, A. Peyser, and P. Carloni. Cation Selectivity in Biological Cation Channels Using Experimental Structural Information and Statistical Mechanical Simulation. *PLoS One*, 10(10):e0138679, 2015.
- [21.2] D. Turchenkov and V. S. Bystrov. Conductance Simulation of the Purinergic P2X₂, P2X₄ and P2X₇ Ionic Channels using a Combined Brownian Dynamics and Molecular Dynamics Approach. *J. Phys. Chem. B*, 118(31):9119–9127, 2014.
- [21.3] R. Wang and Z.-G. Wang. Effects of image charges on double layer structure and forces. *J. Chem. Phys.*, 139(12):124702, 2013.
- [21.4] J.-L. Liu. Numerical Methods for the Poisson-Fermi Equation in Electrolytes. *J. Comp. Phys.*, 247:88–99, 2013.
- [21.5] A. Kovalenko. Multiscale modeling of solvation in chemical and biological nanosystems and in nanoporous materials. *Pure Appl. Chem.*, 85(1):159–199, 2013.
- [21.6] T. M. Dudev and C. Lim. Competition Among Ca²⁺, Mg²⁺, and Na⁺ for Model Ion Channel Selectivity Filters: Determinants of Ion Selectivity. *J. Phys. Chem. B*, 116(35):10703–10714, 2012.
- [21.7] Z. Gan, X. Xing, and Z. Xu. Effects of image charges, interfacial charge discreteness, and surface roughness on the zeta potential of spherical electric double layers. *J. Chem. Phys.*, 137(3):034708, 2012.
- [21.8] D. Xie and L. R. Scott. A new boundary integral equation for molecular electrostatics with charges over whole space. *BIT Num. Math.*, 51(4):1051–1071, 2011.
- [21.9] B. Zhang, Y. Ai, J. Liu, S. W. Joo, and S. Qian. Polarization Effect of Dielectric Membrane on the Ionic Current Rectification in a Conical Nanopore. *J. Phys. Chem. C*, 115(50):24951–24959, 2011.
- [21.10] A. Kovalenko and N. Blinov. Multiscale methods for nanochemistry and biophysics in solution. *J. Mol. Liq.*, 164(1–2):101–112, 2011.
- [21.11] K. V. Lopin, C. A. Obejero-Paz, and S. W. Jones. Evaluation of a Two-Site, Three-Barrier Model for Permeation in Ca(V)3.1 (alpha 1G) T-Type Calcium Channels: Ca²⁺, Ba²⁺, Mg²⁺, and Na⁺. *J. Mem. Biol.*, 235(2):131–143, 2010.
- [21.12] R. C. K. Cheng, D. B. Tikhonov, and B. S. Zhorov. Structural modeling of calcium binding in the selectivity filter of the L-type calcium channel. *Eur. Biophys. J. Biophys. Lett.*, 39(5):839–853, 2010.
- [21.13] G. Rutkai and T. Kristóf. Dynamic Monte Carlo simulation in mixtures. *J. Chem. Phys.*, 132(10):124101, 2010.
- [21.14] J. P. Bardhan, M. D. Altman, B. Tidor, and J. K. White. "Reverse-Schur" Approach to Optimization with Linear PDE Constraints: Application to Biomolecule Analysis and Design. *J. Chem. Theory Comput.*, 5(12):3260–3278, 2009.
- [21.15] J. P. Bardhan, M. G. Knepley, and M. Anitescu. Bounding the electrostatic free energies associated with linear continuum models of molecular solvation. *J. Chem. Phys.*, 130(10):104108, 2009.
- [21.16] C.-H. Hou, P. Taboada-Serrano, S. Yiacoumi, and C. Tsouris. Electrosorption selectivity of ions from mixtures of electrolytes inside nanopores. *J. Chem. Phys.*, 129(22):224703, 2008.
- [21.17] N. Khan, I. P. Gray, C. A. Obejero-Paz, and S. W. Jones. Permeation and Gating in CaV3.1 (α1G) T-type Calcium Channels Effects of Ca²⁺, Ba²⁺, Mg²⁺, and Na⁺. *J. Gen. Physiol.*, 132(2):223–238, 2008.
- [21.18] J. Reščič and P. Linse. Potential of mean force between charged colloids: Effect of dielectric discontinuities. *J. Chem. Phys.*, 129(11):114505, 2008.
- [21.19] C.-H. Hou, P. Taboada-Serrano, S. Yiacoumi, and C. Tsouris. Monte Carlo simulation of electrical double-layer formation from mixtures of electrolytes inside nanopores. *J. Chem. Phys.*, 128(4):044705, 2008.
- [21.20] S. Tyagi, A. Arnold, and C. Holm. ICM2D: An accurate method to include planar dielectric interfaces via image charge summation. *J. Chem. Phys.*, 127(15):154723, 2007.
- [21.21] C. Domene. Molecular dynamics simulations of potassium channels. *Central European J. of Chem.*, 5(3):635–671, 2007.

- [22] D. Gillespie, M. Valiskó, and D. Boda. Density functional theory of the electrical double layer: the RFD functional. *J. Phys.-Cond. Matt.*, 17(42):6609–6626, 2005. IF: 2.145.

Cited by:

- [22.1] G. Yang and L. Liu. A systematic comparison of different approaches of density functional theory for the study of electrical double layers. *J. Chem. Phys.*, 142(19):194110, 2015.
- [22.2] C. N. Patra. Structure of fully asymmetric mixed electrolytes around a charged nanoparticle: a density functional and simulation investigation. *RSC Adv.*, 5:25006–25013, 2015.
- [22.3] Z. Gan, H. Wu, K. Barros, Z. Xu, and E. Luitjen. Comparison of efficient techniques for the simulation of dielectric objects in electrolytes. *J. Comp. Phys.*, 291:317–333, 2015.
- [22.4] T. Xiao. Extended Debye–Hückel Theory for Studying the Electrostatic Solvation Energy. *ChemPhysChem*, 16(4):833–841, 2015.
- [22.5] E.-Y. Kim, S.-C. Kim, Y.-S. Han, and B.-S. Seong. Structure of a planar electric double layer containing size-asymmetric ions: density functional approach. *Mol. Phys.*, 113(8):871–879, 2015.
- [22.6] B. Medasani, Z. Ovanesyan, D. G. Thomas, M. L. Sushko, and M. Marucho. Ionic asymmetry and solvent excluded volume effects on spherical electric double layers: A density functional approach. *J. Chem. Phys.*, 140(20):204510, 2014.
- [22.7] E.-Y. Kim and S.-C. Kim. Electric double layer for a size-asymmetric electrolyte around a spherical colloid. *J. Chem. Phys.*, 140(15):154703, 2014.
- [22.8] J. Jiang, D. Cao, D. Henderson, and J. Wu. Revisiting density functionals for the primitive model of electric double layers. *J. Chem. Phys.*, 140(4):044714, 2014.
- [22.9] J. Jiang, D. Cao, D. Henderson, and J. Wu. A contact-corrected density functional theory for electrolytes at an interface. *Phys. Chem. Chem. Phys.*, 16:3934–3938, 2014.
- [22.10] E.-Y. Kim and S.-C. Kim. Ionic density distributions near the charged colloids: Spherical electric double layers. *J. Chem. Phys.*, 139(19):194711, 2013.
- [22.11] S. Lamperski, M. Kaja, L. B. Bhuiyan, J. Wu, and D. Henderson. Influence of anisotropic ion shape on structure and capacitance of an electric double layer: A Monte Carlo and density functional study. *J. Chem. Phys.*, 139(5):054703, 2013.
- [22.12] L. Liu. Prediction of swelling pressures of different types of bentonite in dilute solutions. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 434:303–318, 2013.
- [22.13] P. Magnico. Influence Of The Ion-Solvent Interactions On Ionic Transport Through Ion-Exchange-Membranes. *J. Membr. Sci.*, 442:272–285, 2013.
- [22.14] B. Eisenberg. Ionic Interactions are Everywhere. *Physiology*, 28(1):28–38, 2013.
- [22.15] G.-W. Wei, Q. Zheng, Z. Chen, and K. Xia. Variational Multiscale Models for Charge Transport. *SIAM Review*, 54(4):699–754, 2012.
- [22.16] T.-L. Horng, T.-C. Lin, C. Liu, and B. Eisenberg. PNP Equations with Steric Effects: A Model of Ion Flow through Channels. *J. Phys. Chem. B*, 116(37):11422–11441, 2012.
- [22.17] B. Eisenberg. Ionic Interactions in Biological and Physical Systems: a Variational Treatment. *Faraday Discuss.*, 160:279–296, 2013.
- [22.18] Y. Hyon, J. E. Fonseca, B. Eisenberg, and C. Liu. Energy variational approach to study charge inversion (layering) near charged walls. *DCDS-B*, 17(8):2725–2743, 2012.
- [22.19] L. B. Bhuiyan, D. Henderson, and S. Sokolowski. On the contact values of the density profiles in an electric double layer using density functional theory. *Condensed Matter Phys.*, 15(2):23801, 2012.
- [22.20] P. Magnico. Ion size effects on electric double layers and ionic transport through ion-exchange membrane systems. *J. Membr. Sci.*, 415–416:412–423, 2012.
- [22.21] O. Pizio and S. Sokolowski. chapter Advances in the Theoretical Description of Solid–Electrolyte Solution Interfaces, pages 73–124. Wiley-VCH Verlag GmbH & Co. KGaA, 2011.
- [22.22] B. Eisenberg. Crowded charges in ion channels. In Rice, S. A. and Dinner, A. R., editor, *Advances in chemical physics*, Vol. 148, volume 148 of *Advances in Chemical Physics*, pages 77–223. 2012.
- [22.23] D. J. Henderson and J. Wu. Electrochemical Properties of the Double Layer of an Ionic Liquid Using a Dimer Model Electrolyte and Density Functional Theory. *J. Phys. Chem. B*, 116(8):2520–2525, 2012.
- [22.24] D. Henderson, S. Lamperski, Z. Jin, and J. Wu. Density Functional Study of the Electric Double Layer Formed by a High Density Electrolyte. *J. Phys. Chem. B*, 115(44):12911–12914, 2011.
- [22.25] L. B. Bhuiyan, C. W. Outhwaite, and D. Henderson. A Monte Carlo Study of the Structure of a Planar Electric Double Layer Containing Asymmetric Electrolytes. *J. Chem. Eng. Data*, 56(12):4556–4563, 2011.

- [22.26] I. Guerrero-García, E. González-Tovar, and M. O. de la Cruz. Entropic effects in the electric double layer of model colloids with size-asymmetric monovalent ions. *J. Chem. Phys.*, 135(5):054701, 2011.
- [22.27] B. Lu and Y. C. Zhou. Poisson-Nernst-Planck Equations for Simulating Biomolecular Diffusion-Reaction Processes II: Size Effects on Ionic Distributions and Diffusion-Reaction Rates. *Biophys. J.*, 100(10):2475–2485, 2011.
- [22.28] Z. Wang, L. Liu, and I. Neretnieks. The weighted correlation approach for density functional theory: a study on the structure of the electric double layer. *J. Phys.: Cond. Matt.*, 23(17):175002, 2011.
- [22.29] Q. Zheng, D. Chen, and G.-W. Wei. Second-order Poisson-Nernst-Planck solver for ion transport. *J. Comp. Phys.*, 230(13):5239–5262, 2011.
- [22.30] Y. Hyon, B. Eisenberg, and C. Liu. A mathematical model for the hard sphere repulsion in ionic solutions. *Comm. Math. Sci.*, 9(2):459–475, 2011.
- [22.31] B. Eisenberg. Multiple Scales in the Simulation of Ion Channels and Proteins. *J. Phys. Chem. C*, 114(48):20719–20733, 2010.
- [22.32] L. B. Bhuiyan and D. Henderson. A local, semi-empirical contact condition for the charge profile in an electric double layer with size-asymmetric ions at low electrode charge: comparison with simulations. *Mol. Sim.*, 37(4):269–276, 2011.
- [22.33] B. Eisenberg, Y.-K. Hyon, and C. Liu. Energy variational analysis of ions in water and channels: Field theory for primitive models of complex ionic fluids. *J. Chem. Phys.*, 133(10):104104, 2010.
- [22.34] I. Guerrero-García, E. González-Tovar, and M. O. de la Cruz. Effects of the ionic size-asymmetry around a charged nanoparticle: unequal charge neutralization and electrostatic screening. *Soft Matter*, 6(9):2056–2065, 2010.
- [22.35] I. Guerrero-García, E. González-Tovar, M. Chávez-Páez, and M. Lozada-Cassou. Overcharging and charge reversal in the electrical double layer around the point of zero charge. *J. Chem. Phys.*, 132(5):054903, 2010.
- [22.36] O. V. Semashko, S. V. Burov, and E. N. Brodskaya. Simulation of the electrical double layer of a spherical micelle of an anionic substance with regard to the solvent structure. *Colloid J.*, 71(6):846–851, 2009.
- [22.37] M. Z. Bazant, M. S. Kilic, B. D. Storey, and A. Ajdari. Towards an understanding of induced-charge electrokinetics at large applied voltages in concentrated solutions. *Adv. Colloid Interf. Sci.*, 152(1–2):48–88, 2009.
- [22.38] W. R. Fawcett, P. J. Ryan, and T. G. Smagala. Properties of the Diffuse Double Layer at High Electrolyte Concentrations. *J. Phys. Chem. B*, 113(43):14310–14314, 2009.
- [22.39] A. Martín-Molina, R. Hidalgo-Álvarez, and M. Quesada-Pérez. Additional considerations about the role of ion size in charge reversal. *J. Phys.: Condens. Matter*, 21(42):424105, 2009.
- [22.40] G. I. Guerrero-García, E. González-Tovar, and M. Chávez-Páez. Simulational and theoretical study of the spherical electrical double layer for a size-asymmetric electrolyte: The case of big coions. *Phys. Rev. E*, 80(2):021501, 2009.
- [22.41] L. B. Bhuiyan, Outhwaite, C. W., and D. J. Henderson. Evidence from Monte Carlo simulations for a second contact value theorem for a double layer formed by 2:1/1:2 salts at low electrode charges. *Mol. Phys.*, 107(4–6):343 – 347, 2009.
- [22.42] T. Goel, C. N. Patra, S. K. Ghosh, and T. Mukherjee. A self-consistent density-functional approach to the structure of electric double layer: charge-asymmetric electrolytes. *Mol. Phys.*, 107(1):19–25, 2009.
- [22.43] J. Forsman. Density functional theories of surface interactions in salt solutions. *J. Chem. Phys.*, 130(6):064901, 2009.
- [22.44] Y. Liu, M. Liu, W. M. Lau, and J. Yang. Ion Size and Image Effect on Electrokinetic Flows. *Langmuir*, 24(6):2884–2891, 2008.
- [22.45] W. R. Fawcett and T. G. Smagala. Examination of Ion Size Effects on the Potential Drop Across the Diffuse Layer using Monte Carlo Simulations. *Electrochim. Acta*, 53(16):5136–5141, 2008.
- [22.46] H. Hwang, G. C. Schatz, and M. A. Ratner. Incorporation of Inhomogeneous Ion Diffusion Coefficients into Kinetic Lattice Grand Canonical Monte Carlo Simulations and Application to Ion Current Calculations in a Simple Model Ion Channel. *J. Phys. Chem. A*, 111(49):12506–12512, 2007.
- [22.47] K. T. Chu and M. Z. Bazant. Surface conservation laws at microscopically diffuse interfaces. *J. Coll. Interf. Sci.*, 315(1):319–329, 2007.
- [22.48] K. Kiyohara and K. Asaka. Monte Carlo simulation of electrolytes in the constant voltage ensemble. *J. Chem. Phys.*, 126(21):214704, 2007.
- [22.49] M. S. Kilic, M. Z. Bazant, and A. Ajdari. Steric effects in the dynamics of electrolytes at large applied voltages. I. Double-layer charging. *Phys. Rev. E*, 75(2):021502, 2007.
- [22.50] M. S. Kilic, M. Z. Bazant, and A. Ajdari. Steric effects in the dynamics of electrolytes at large applied voltages. II. Modified Poisson-Nernst-Planck equations. *Phys. Rev. E*, 75(2):021503, 2007.

- [23] M. Valiskó and D. Boda. Dielectric constant of the polarizable dipolar hard sphere fluid studied by Monte Carlo simulation and theories. *Condensed Matter Phys.*, 8(2):357–376, 2005. IF: 0.621.

Cited by:

- [23.1] H. Abe, Y. Imai, N. Tokunaga, Y. Yamashita, and Y. Sasaki. Highly Efficient Electrohydrodynamic Pumping: Molecular Isomer Effect of Dielectric Liquids, and Surface States of Electrodes. *ACS Appl. Mater. Interf.*, 7(44):24492–24500, 2015.
- [23.2] W. Srirachat, T. Wongsawa, N. Sunsandee, U. Pancharoen, and S. Kheawhom. Phase equilibrium for ternary liquid systems of water + di-(2-ethylhexyl) phosphoric acid + organic diluents: thermodynamic study. *Fluid Phase Equilib.*, 401:34–47, 2015.
- [23.3] K.-Y. Chu, S. Lee, M.-T. Tsai, I.-C. Lu, Y. A. Dyakov, Y.-H. Lai, Y.-T. Lee, and C.-K. Ni. Thermal Proton Transfer Reactions in Ultraviolet Matrix-Assisted Laser Desorption/Ionization. *J. Am. Soc. Mass Spectrometry*, pages 1–9, 2014.
- [23.4] R. Jia and R. Hentschke. Simulation study of the polarizable Stockmayer fluid in an external field. *Phys. Rev. E*, 84:051508, 2011.
- [23.5] D. Henderson. Some simple results for the properties of polar fluids. *Cond. Matt. Phys.*, 14(3):33001, 2011.
- [23.6] G. B. Litinskii. Dielectric properties of a dipolar hard sphere liquid: Association equilibria theory. *J. Struct. Chem.*, 52(1):91–96, 2011.
- [23.7] J. C. R. Reis and T. P. Iglesias. Kirkwood correlation factors in liquid mixtures from an extended Onsager-Kirkwood-Frohlich equation. *Phys. Chem. Chem. Phys.*, 13:10670–10680, 2011.
- [23.8] S. Lamperski and R. Górnaiak. Inverse grand-canonical Monte Carlo investigation of the activity coefficient of polar fluids. *Fluid Phase Equilib.*, 295(2):255–263, 2010.
- [23.9] G. B. Litinskii. Dielectric properties of a liquid of hard spheres. *J. Struct. Chem.*, 49(5):876–880, 2008.
- [24] M. Valiskó and D. Boda. Relative permittivity of polar liquids. Comparison of theory, experiment, and simulation. *J. Phys. Chem. B*, 109(13):6355–6365, 2005. IF: 4.033.

Cited by:

- [24.1] J. C. R. Reis and T. P. Iglesias. Kirkwood correlation factors in liquid mixtures from an extended Onsager-Kirkwood-Frohlich equation. *Phys. Chem. Chem. Phys.*, 13:10670–10680, 2011.
- [24.2] M.-R. Gartia, T. C. Bond, and G. L. Liu. Metal-Molecule Schottky Junction Effects in Surface Enhanced Raman Scattering. *J. Phys. Chem. A*, 115(3):318–328, 2011.
- [24.3] D. Gazzillo. Fluid of hard spheres with dipolar-like patch interaction and effect of adding an isotropic adhesion. *Mol. Phys.*, 109(1):55–64, 2011.
- [24.4] D. Gazzillo. Dipolar sticky hard spheres within the Percus–Yevick approximation plus orientational linearization. *J. Chem. Phys.*, 133(3):034511, 2010.
- [24.5] W. H. Chua and G. W. Stachowiak. The Study of the Dynamic Thickness of Organic Boundary Films Under Metallic Sliding Contact. *Tribology Lett.*, 39(2):151–161, 2010.
- [24.6] L. E. Johnson, R. Barnes, T. W. Draxler, B. E. Eichinger, and B. H. Robinson. Dielectric Constants of Simple Liquids: Stockmayer and Ellipsoidal Fluids. *J. Phys. Chem. B*, 114(25):8431–8440, 2010.
- [24.7] K. Yokota, M. Taniguchi, and T. Kawai. Metal-Molecule Interfaces Formed by Noble-Metal-Chalcogen Bonds for Nanoscale Molecular Devices. *J. Phys. Chem. C*, 114(9):4044–4050, 2010.
- [24.8] H.-J. Chen, S.-Y. Li, X.-J. Liu, R.-P. Li, D.-M. Smilgies, Z.-H. Wu, and Z. Li. Evaluation on Pore Structures of Organosilicate Thin Films by Grazing Incidence Small-Angle X-ray Scattering. *J. Phys. Chem. B*, 113(38):12623–12627, 2009.
- [24.9] C.-S. Kim and H.-D. Jeong. What Originates the Dielectric Permittivity of Silicate-Silsesquioxane Hybrid Thin Films? *J. Phys. Chem. B*, 112(51):16257–16260, 2008.
- [24.10] T. Kristóf and I. Szalai. Magnetic properties in monolayers of a model polydisperse ferrofluid. *Phys. Rev. E*, 72(4):041105, 2005.
- [24.11] L. B. Bhuiyan, C. W. Outhwaite, and D. Henderson. A modified Poisson-Boltzmann analysis of the capacitance behavior of the electric double layer at low temperatures. *J. Chem. Phys.*, 123(3):034704, 2005.
- [25] M. Valiskó, D. Henderson, and D. Boda. Competition between the effects of asymmetries in ion diameters and charges in an electrical double layer studied by Monte Carlo simulations and theories. *J. Phys. Chem. B*, 108(42):16548–16555, 2004. IF: 3.834.

Cited by:

- [25.1] G. Yang and L. Liu. A systematic comparison of different approaches of density functional theory for the study of electrical double layers. *J. Chem. Phys.*, 142(19):194110, 2015.
- [25.2] V. L. Shapovalov. The Interaction of Electric Field and Hydrostatic Pressure in an Electrical Double Layer: A Simple "First Principle" Model that Accounts for the Finite Sizes of Counterions. *J. Coll. Interf. Sci.*, 454:187–191, 2015.
- [25.3] E. A. Barrios-Contreras, E. González-Tovar, and G. I. Guerrero-García. The dominance of small ions in the electric double layer of size- and charge-asymmetric electrolytes: a mean-field study on the charge reversal and surface charge amplification. *Mol. Phys.*, 113(9-10):1190–1205, 2015.
- [25.4] S. V. Shevkunov. The hydrate shell of a Cl^- Ion in a planar nanopore, structure. *Russ. J. Electrochem.*, 50(12):1118–1126, 2014.
- [25.5] S.V. Shevkunov. Water vapor clustering in the field of a chlorine anion occurring in a planar nanopore with structureless walls. *Colloid J.*, 76(4):490–508, 2014.
- [25.6] Z.-Y. Wang, Y.-P. Xie, Q. Liang, Z. Ma, and J. Wei. Looking deeper into the structure of mixed electric double layers near the point of zero charge. *J. Chem. Phys.*, 137(17):174707, 2012.
- [25.7] Z.-Y. Wang and Y.-Q. Ma. A molecular simulation study on the role of ion sizes and dielectric images in near-surface ion distribution far from the strong coupling limit. *J. Chem. Phys.*, 136(23):234701, 2012.
- [25.8] D. Gillespie. High Energy Conversion Efficiency in Nanofluidic Channels. *Nano Lett.*, 12(3):1410–1416, 2012.
- [25.9] D. Di Caprio, J. P. Badiali, and M. Holovko. Field theory for classical systems. Entropic effects. Application to non homogeneous electrolytes. *J. Phys. Studies*, 13(4):4002, 2009.
- [25.10] I. Guerrero-García, E. González-Tovar, and M. O. de la Cruz. Entropic effects in the electric double layer of model colloids with size-asymmetric monovalent ions. *J. Chem. Phys.*, 135(5):054701, 2011.
- [25.11] J. G. Ibarra-Armenta, A. Martín-Molina, and M. Quesada-Perez. Influence of monovalent ion size on colloidal forces probed by Monte Carlo simulations. *Phys. Chem. Chem. Phys.*, 13(29):13349–13357, 2011.
- [25.12] A. Bulyha and C. Heitzinger. An algorithm for three-dimensional Monte-Carlo simulation of charge distribution at biofunctionalized surfaces. *Nanoscale*, 3(4):1608–1617, 2011.
- [25.13] J. Carmona and B. Hoyos. An improved primitive model for hydrated ions near a metal surface: Monte Carlo simulations. *DYNA-Colombia*, 77(162, Part 2):339–348, 2010.
- [25.14] W. R. Fawcett and P. J. Ryan. Is perchlorate ion contact adsorbed from aqueous solutions at polarizable electrodes? *J. Electroanal. Chem.*, 649(1–2):48–52, 2010.
- [25.15] I. Guerrero-García, E. González-Tovar, M. Chávez-Páez, and M. Lozada-Cassou. Overcharging and charge reversal in the electrical double layer around the point of zero charge. *J. Chem. Phys.*, 132(5):054903, 2010.
- [25.16] O. V. Semashko, S. V. Burov, and E. N. Brodskaya. Simulation of the electrical double layer of a spherical micelle of an anionic substance with regard to the solvent structure. *Colloid J.*, 71(6):846–851, 2009.
- [25.17] A. Martín-Molina, R. Hidalgo-Álvarez, and M. Quesada-Pérez. Additional considerations about the role of ion size in charge reversal. *J. Phys.: Condens. Matter*, 21(42):424105, 2009.
- [25.18] G. I. Guerrero-García, E. González-Tovar, and M. Chávez-Páez. Simulational and theoretical study of the spherical electrical double layer for a size-asymmetric electrolyte: The case of big coions. *Phys. Rev. E*, 80(2):021501, 2009.
- [25.19] D. di Caprio and J. P. Badiali. Particle Indistinguishability Symmetry within a Field Theory. Entropic Effects. *Entropy*, 11(2):238–248, 2009.
- [25.20] D. di Caprio, J. P. Badiali, and M. Holovko. Simple field theoretical approach of Coulomb systems. Entropic effects. *J. Phys. A: Math. Theor.*, 42(21):214038, 2009.
- [25.21] M. Martín-Molina, C. Rodríguez-Beas, R. Hidalgo-Álvarez, and M. Quesada-Perez. Effect of Surface Charge on Colloidal Charge Reversal. *J. Phys. Chem. B*, 113(19):6834–6839, 2009.
- [25.22] G. Beltramo, M. Giesen, and H. Ibach. Anomalous Helmholtz-capacitance on stepped surfaces of silver and gold. *Electrochim. Acta*, 54(18):4305–4311, 2009.
- [25.23] W. R. Fawcett. Monte Carlo studies of ion size effects in the diffuse double layer. *Electrochimica Acta*, 54(22):4997–5005, 2009.
- [25.24] A. Martín-Molina, J. G. Ibarra-Armenta, and M. Quesada-Perez. Effect of Ion Dispersion Forces on the Electric Double Layer of Colloids: A Monte Carlo Simulation Study. *J. Phys. Chem. B*, 113(8):2414–2421, 2009.
- [25.25] D. di Caprio and M. Holovko. Spontaneous Polarization of the Neutral Interface for Valence Asymmetric Coulombic Systems. *J. Phys. Chem. B*, 113(7):2006–2012, 2009.
- [25.26] C.-H. Hou, P. Taboada-Serrano, S. Yiacoumi, and C. Tsouris. Electrosorption selectivity of ions from mixtures of electrolytes inside nanopores. *J. Chem. Phys.*, 129(22):224703, 2008.

- [25.27] M. Holovko and D. di Caprio. On the contact conditions for the charge profile in the theory of the electrical double layer for nonsymmetrical electrolytes. *J. Chem. Phys.*, 128:174702, 2008.
- [25.28] W. R. Fawcett. *Surface Complexation Modeling*, chapter The effects of ion size on double layer properties: Theory and Monte Carlo simulations, pages 112–132. Academic Press, 2006.
- [25.29] W. R. Fawcett and T. G. Smagala. Examination of Ion Size Effects on the Potential Drop Across the Diffuse Layer using Monte Carlo Simulations. *Electrochim. Acta*, 53(16):5136–5141, 2008.
- [25.30] C.-H. Hou, P. Taboada-Serrano, S. Yiacoumi, and C. Tsouris. Monte Carlo simulation of electrical double-layer formation from mixtures of electrolytes inside nanopores. *J. Chem. Phys.*, 128(4):044705, 2008.
- [25.31] A. Martin-Molina, J. Maroto-Centeno, R. Hidalgo-Alvarez, and M. Quesada-Perez. Charge reversal in real colloids: Experiments, theory and simulations. *Colloids and Surfaces A: Physicochem. Eng. Aspects*, 319(1–3):103–108, 2007.
- [25.32] S. Madurga, A. Martin-Molina, E. Vilaseca, F. Mas, and M. Quesada-Perez. Effect of the surface charge discretization on electric double layers: A Monte Carlo simulation study. *J. Chem. Phys.*, 126(23):234703, 2007.
- [25.33] K. Kiyohara and K. Asaka. Monte Carlo simulation of electrolytes in the constant voltage ensemble. *J. Chem. Phys.*, 126(21):214704, 2007.
- [25.34] K. Wang, Y. X. Yu, G. H. Gao, and G. S. Luo. Preferential interaction between DNA and small ions in mixed-size counterion systems: Monte Carlo simulation and density functional study. *J. Chem. Phys.*, 126(13):135102, 2007.
- [25.35] V. V. Lemesko. Theoretical evaluation of a possible nature of the outer membrane potential of mitochondria. *European Biophys. J. With Biophys. Lett.*, 36(1):57–66, 2006.
- [25.36] Y. X. Yu, K. Wang, and G. H. Gao. Density functional study on the osmotic coefficient for the DNA–electrolyte solutions. *Fluid Phase Equilib.*, 256(1–2):20–26, 2007.
- [25.37] A. Martin-Molina, J. A. Maroto-Centeno, R. Hidalgo-Alvarez, and M. Quesada-Perez. Testing one component plasma models on colloidal overcharging phenomena. *J. Chem. Phys.*, 125(14):144906, 2006.
- [25.38] W. R. Fawcett and T. G. Smagala. New developments in the theory of the diffuse double layer. *Langmuir*, 22(25):10635–10642, 2006.
- [25.39] C. Labbez, B. Jonsson, I. Pochard, A. Nonat, and B. Cabane. Surface charge density and electrokinetic potential of highly charged minerals: Experiments and Monte Carlo simulations on calcium silicate hydrate. *J. Phys. Chem. B*, 110(18):9219–9230, 2006.
- [25.40] A. Martin-Molina, M. Quesada-Perez, and R. Hidalgo-Alvarez. Electric double layers with electrolyte mixtures: Integral equations theories and simulations. *J. Phys. Chem. B*, 110(3):1326–1331, 2006.
- [25.41] J. Yu, G. E. Aguilar-Pineda, A. Antillon, S. H. Dong, and M. Lozada-Cassou. The effects of unequal ionic sizes for an electrolyte in a charged slit. *J. Coll. Interf. Sci.*, 295(1):124–134, 2006.
- [25.42] M. Quesada-Perez, A. Martin-Molina, and R. Hidalgo-Alvarez. Simulation of electric double layers undergoing charge inversion: Mixtures of mono- and multivalent ions. *Langmuir*, 21(20):9231–9237, 2005.
- [25.43] P. Taboada-Serrano, S. Yiacoumi, and C. Tsouris. Behavior of mixtures of symmetric and asymmetric electrolytes near discretely charged planar surfaces: A Monte Carlo study. *J. Chem. Phys.*, 123(5):054703, 2005.
- [25.44] G. I. Guerrero-García, E. Gonzalez-Tovar, M. Lozada-Cassou, and F. D. Guevara-Rodriguez. The electrical double layer for a fully asymmetric electrolyte around a spherical colloid: An integral equation study. *J. Chem. Phys.*, 123(3):034703, 2005.
- [25.45] L. B. Bhuiyan and C. W. Outhwaite. Comparison of density functional and modified Poisson-Boltzmann structural properties for a spherical double layer. *Condensed Matter Phys.*, 8(2):287–302, 2005.
- [25.46] K. Wang, Y. X. Yu, G. H. Gao, and G. S. Luo. Density-functional theory and Monte Carlo simulation study on the electric double layer around DNA in mixed-size counterion systems. *J. Chem. Phys.*, 123(23):234904, 2005.
- [26] M. Valiskó, J. Liszi, and I. Szalai. Relative permittivity of a few H-bonded liquid crystals. *J. Mol. Liquids*, 109(1):39–43, 2004. IF: 0.982.

Cited by:

- [26.1] J. Carmona and B. Hoyos. An improved primitive model for hydrated ions near a metal surface: Monte Carlo simulations. *DYNA-Colombia*, 77(162, Part 2):339–348, 2010.
- [26.2] L. A. Nosikova, Z. A. Kudryashova, and L. D. Iskhakova. Mesomorphic and Dielectric Properties of the p-n-Hexyloxybenzoic Acid-p-n-Heptyloxybenzoic Acid Liquid Crystal System. *Russian J. Phys. Chem. A*, 82(12):2065–2068, 2008.

- [27] M. Valiskó, D. Boda, J. Liszi, and I. Szalai. A systematic Monte Carlo simulation and renormalized perturbation theoretical study of the dielectric constant of the polarizable Stockmayer fluid. *Mol. Phys.*, 101(14):2309–2313, 2003. IF: 1.591.

Cited by:

- [27.1] C. G. Gray, K. E. Gubbins, and C. G. Joslin. *Theory of Molecular Fluids, Applications*. Oxford: University Press, 2011.
- [27.2] R. Jia and R. Hentschke. Simulation study of the polarizable Stockmayer fluid in an external field. *Phys. Rev. E*, 84:051508, 2011.
- [27.3] L. E. Johnson, R. Barnes, T. W. Draxler, B. E. Eichinger, and B. H. Robinson. Dielectric Constants of Simple Liquids: Stockmayer and Ellipsoidal Fluids. *J. Phys. Chem. B*, 114(25):8431–8440, 2010.
- [27.4] F. Moučka, M. Rouha, and I. Nezbeda. Efficient multiparticle sampling in Monte Carlo simulations on fluids: Application to polarizable models. *J. Chem. Phys.*, 126(22):224106, 2007.
- [27.5] J. Bartke and R. Hentschke. Dielectric properties and the ferroelectric transition of the Stockmayer-fluid via computer simulation. *Mol. Phys.*, 104(19):3057–3068, 2006.
- [27.6] L. B. Bhuiyan, C. W. Outhwaite, and D. Henderson. A modified Poisson-Boltzmann analysis of the capacitance behavior of the electric double layer at low temperatures. *J. Chem. Phys.*, 123(3):034704, 2005.

- [28] M. Valiskó, D. Boda, J. Liszi, and I. Szalai. Dipoláris folyadékok és folyadékelegyek relatív permittivitása. Elméleti és kísérleti eredmények összehasonlítása. *Magyar Kémiai Folyóirat*, 108:517–523, 2002.

- [29] M. Valiskó, D. Boda, J. Liszi, and I. Szalai. The dielectric constant of polarizable fluids from the renormalized perturbation theory. *Mol. Phys.*, 100(20):3239–3243, 2002. IF: 1.617.

Cited by:

- [29.1] A. O. Ivanov and E. A. Elfimova. Low-temperature magnetic susceptibility of concentrated ferrofluids: The influence of polydispersity. *J. Magnetism Magn. Mat.*, 374:327–332, 2015.
- [29.2] N. M. Alsaifi, G.N. Patey, and P. Englezos. A General Treatment of Polar-Polarizable Systems for an Equation of State. *Chem. Eng. Res. Design*, 92(12):2936–2946, 2014.
- [29.3] C. G. Gray, K. E. Gubbins, and C. G. Joslin. *Theory of Molecular Fluids, Applications*. Oxford: University Press, 2011.
- [29.4] L. B. Bhuiyan, C. W. Outhwaite, and D. Henderson. A modified Poisson-Boltzmann analysis of the capacitance behavior of the electric double layer at low temperatures. *J. Chem. Phys.*, 123(3):034704, 2005.

- [30] M. Valiskó, D. Boda, J. Liszi, and I. Szalai. Relative permittivity of dipolar liquids and their mixtures. Comparison of theory and experiment. *Phys. Chem. Chem. Phys.*, 3(15):2995–3000, 2001. IF: 1.787.

Cited by:

- [30.1] T. P. Iglesias, A. F. S. Santos, F. J. V. Santos, M. L. C. J. Moita, I. Lampreia, and J. Reis. Dipole moments of isomeric alkoxyalcohols in cyclohexane. Comparison of Hedestrand and Frohlich procedures with a new formula. *Phys. Chem. Chem. Phys.*, 14(47):16400–16408, 2012.
- [30.2] J. C. R. Reis and T. P. Iglesias. Kirkwood correlation factors in liquid mixtures from an extended Onsager-Kirkwood-Frohlich equation. *Phys. Chem. Chem. Phys.*, 13:10670–10680, 2011.
- [30.3] A. G. Gilani, N. Paktinat, and M. Moghadam. Relative permittivity data of binary mixtures containing 2-butanol, 2-butanone, and cyclohexane. *J. Chem. Thermodyn.*, 43(4):569–575, 2011.
- [30.4] J. C. Martinez-Garcia, J. Ll. Tamarit, S. Capaccioli, M. Barrio, N. Veglio, , and L. C. Pardo. -relaxation dynamics of orientationally disordered mixed crystals composed of Cl-adamantane and CN-adamantane. *J. Chem. Phys.*, 132(16):164516, 2010.
- [30.5] S. Ohnishi and S. Itoh. *Lecture Notes in Computer Science*, volume 4758, chapter PetaFLOPS Computing and Computational Nanotechnology on Industrial Issues, pages 393–401. Springer, Berlin, Heidelberg, 2008.
- [30.6] V. Y. Ushakov. *Impulse Breakdown of Liquids*, chapter Behavior of Liquids in Strong Electric Fields. Springer, Berlin, 2007.
- [30.7] D. Chatterjee, B. Hetayothin, A. R. Wheeler, D. J. King, and R. L. Garrell. Droplet-based microfluidics with nonaqueous solvents and solutions. *Lab On A Chip*, 6(2):199–206, 2006.
- [30.8] L. B. Bhuiyan, C. W. Outhwaite, and D. Henderson. A modified Poisson-Boltzmann analysis of the capacitance behavior of the electric double layer at low temperatures. *J. Chem. Phys.*, 123(3):034704, 2005.

- [30.9] S. H. L. Klapp. Dipolar fluids under external perturbations. *J. Phys.: Cond. Matt.*, 17(15):R525–R550, 2005.
- [30.10] G. M. Range and S. H. L. Klapp. Density functional study of the phase behavior of asymmetric binary dipolar mixtures. *Phys. Rev. E*, 69(4):041201, 2004.
- [31] M. Valiskó, S. Valkai, J. Liszi, and I. Szalai. Measurement of the ratio of isothermal compressibility to the square of isobaric expansivity of acetonitrile by Rayleigh light scattering. *Zeitschrift fur Physikalische Chemie*, 210:257, 1999.

Cited by:

- [31.1] V. A. Durov. Modeling of supramolecular ordering in mixtures: Structure, dynamics and properties. *J. Mol. Liq.*, 103:41–82, 2003.

Total number of citations: 347